



E-mail ID: marketing@astrotechsteels.com | www.astrotechsteels.com



## **ABOUT US**

We manufacture and distribute Specialized Steel products like Engineered Fasteners, Concrete Accessories, Coated Wire and other products that primarily cater to the Industrial and Construction sectors. Our Clients are spread across the globe in countries like U.S.A, Canada, U.K, Australia, South Korea and a few other countries. Our state of the art manufacturing facility is equipped with precision machinery which is technologically superior and consistent in producing quality products. We are located in one of the top Industrial hubs in India, with close proximity to major Sea Ports that have excellent connectivity to many major ports of the world. This allows us to cater to customers around the globe and also helps us to process and deliver the goods within shorter lead times.

The entire operation is governed by stringent quality systems to ensure consistency in quality with continuous process improvement. We inculcate a culture of Total Quality Management, thereby empowering every employee to be constantly vigilant in maintaining the quality levels. All our key employees have many years of experience in the related industry. Our broad product portfolio is our one of our key differentiators and also serves as our U.S.P.


Our inhouse R & D team is always active in working in close coordination with customers to successfully develop new products and also meet the constantly evolving product and packaging requirements. This helps us to continuously reinvent ourselves and stay ahead of the competition.



## **STATE OF THE ART**

Our Plant is located inside India's premier Industrial Park called ``Sri City". This is in close proximity to the Industrial and manufacturing metropolis Chennai, in Southern India. Many of the global leaders in manufacturing, across various sectors are located within this Industrial Park. Three major sea ports which are well connected to most of the sea ports of the world are within a radius of 75 miles from the Plant and this enables us to serve our global customers in a competitive manner.







WIRE COIL NAIL

PLASTIC COLLATED NAIL

PAPER COLLATED NAIL

STRAPTITE (JOIST HANGER)

HAND DRIVEN DUPLEX NAIL

HAND DRIVEN SINKER NAIL

HAND DRIVEN FINISH NAIL

HAND DRIVEN COMMON NAIL

**BOX NAIL** 

HAND DRIVEN JOIST HANGER

**COLLATED SCREWS** 

**CONCRETE ACCESSORIES** 





| Length (Inches) | Length (mm)  | Dia (Inches) | Dia (mm) |
|-----------------|--------------|--------------|----------|
| 1 – 2½          | 25.40-63.50  | 0.083        | 2.11     |
| 1 – 2½          | 25.40-63.50  | 0.086        | 2.18     |
| 1 – 2½          | 25.40-63.50  | 0.09         | 2.28     |
| 1 – 2½          | 25.40-63.50  | 0.092        | 2.33     |
| 11/8 - 21/2     | 28.57-63.50  | 0.099        | 2.51     |
| 1% – 3          | 31.75-76.20  | 0.113        | 2.87     |
| 2¼ – 4          | 57.15-101.60 | 0.12         | 3.05     |
| 1½ – 4          | 38.10-101.60 | 0.131        | 3.33     |
| 1½ – 4          | 38.10-101.60 | 0.135        | 3.43     |

FINISH: Brite, Hot Dip Galvanised, Electro Galvanised, Stainless Steel

SHANK TYPE: Smooth, Ring, Screw

POINT TYPE: Diamond, Blunt Diamond, Blunt Chisel



| Length (Inches) | Length (mm)   | Dia (Inches) | Dia (mm) |
|-----------------|---------------|--------------|----------|
| 1¼ - 3          | 31.80- 76.20  | 0.113        | 2.87     |
| 2¼ – 4          | 57.15- 101.60 | 0.120        | 3.05     |
| 2¼ – 4          | 57.15- 101.60 | 0.120        | 3.05     |
| 1½ – 4          | 38.10-101.60  | 0.131        | 3.33     |
| 1½ – 4          | 38.10-101.60  | 0.135        | 3.43     |
| 1½ – 4          | 38.10-101.60  | 0.148        | 3.76     |
| 1½ – 4          | 38.10-101.60  | 0.162        | 4.11     |

FINISH: Brite, Hot Dip Galvanised, Electro Galvanised, Stainless Steel

SHANK TYPE: Smooth, Ring, Screw

POINT TYPE: Diamond





| Length (Inches) | Length (mm) | Dia (Inches) | Dia (mm) |
|-----------------|-------------|--------------|----------|
| 1½ – 2½         | 38.10-63.50 | 0.131        | 3.33     |
| 1½ – 2½         | 38.10-63.50 | 0.148        | 3.76     |
| 1½ – 2½         | 38.10-63.50 | 0.162        | 4.11     |

FINISH: Brite, Hot Dip Galvanised, Electro Galvanised, Stainless Steel

SHANK TYPE: Smooth
POINT TYPE: Diamond



| Length (Inches) | Length (mm)  | Dia (Inches) | Dia (mm) |
|-----------------|--------------|--------------|----------|
| 2 – 3½          | 50.80- 88.90 | 0.113        | 2.87     |
| 2 – 3½          | 50.80- 88.90 | 0.12         | 3.05     |
| 2 – 3½          | 50.80- 88.90 | 0.131        | 3.33     |


FINISH: Brite, Hot Dip Galvanised, Electro Galvanised, Stainless Steel

Head Type: Full Round, Offset, Clipped Head

SHANK TYPE: Smooth, Ring, Screw

POINT TYPE: Diamond





| Length (Inches) | Length (mm) | Dia (Inches) | Dia (mm) |
|-----------------|-------------|--------------|----------|
| 21/4            | 57.15       | 0.131        | 3.33     |
| 2¾              | 69.85       | 0.148        | 3.76     |
| 21/8            | 73.15       | 0.148        | 3.76     |
| 3               | 76.2        | 0.162        | 4.11     |
| 3½              | 88.9        | 0.192        | 4.87     |

FINISH: Brite, Hot Dip Galvanised, Electro Galvanised, Stainless Steel


SHANK TYPE: Smooth
POINT TYPE: Diamond



| Length (Inches) | Length (mm) | Dia (Inches) | Dia (mm) |
|-----------------|-------------|--------------|----------|
| 1%              | 34.92       | 0.08         | 2.03     |
| 1%              | 41.275      | 0.086        | 2.18     |
| 1%              | 47.625      | 0.092        | 2.33     |
| 21/8            | 53.97       | 0.099        | 2.51     |
| 2%              | 60.32       | 0.113        | 2.87     |
| 25/8            | 66.67       | 0.113        | 2.87     |
| 21/8            | 73.02       | 0.12         | 3.05     |
| 31/8            | 79.37       | 0.135        | 3.43     |
| 3¼              | 82.55       | 0.148        | 3.76     |
| 3¾              | 95.25       | 0.177        | 4.49     |

FINISH: Brite, Hot Dip Galvanised, Electro Galvanised

SHANK TYPE: Smooth
POINT TYPE: Diamond





| Length (Inches) | Length (mm) | Dia (Inches) | Dia (mm) |
|-----------------|-------------|--------------|----------|
| 1½              | 38.1        | 0.072        | 1.83     |
| 1¾              | 44.45       | 0.072        | 1.83     |
| 2               | 50.8        | 0.092        | 2.33     |
| 2¼              | 57.15       | 0.092        | 2.33     |
| 2½              | 63.5        | 0.099        | 2.51     |
| 2¾              | 69.85       | 0.099        | 2.51     |
| 3               | 76.2        | 0.113        | 2.87     |
| 3%              | 82          | 0.113        | 2.87     |
| 3½              | 88.9        | 0.12         | 3.05     |
| 4               | 101.6       | 0.135        | 3.43     |

FINISH: Brite, Hot Dip Galvanised, Electro Galvanised, Stainless Steel

SHANK TYPE: Smooth
POINT TYPE: Diamond



| Length (Inches) | Length (mm) | Dia (Inches) | Dia (mm) |
|-----------------|-------------|--------------|----------|
| 1½              | 38.1        | 0.099        | 2.51     |
| 1¾              | 44.45       | 0.099        | 2.51     |
| 2               | 50.8        | 0.113        | 2.87     |
| 21/4            | 57.15       | 0.113        | 2.87     |
| 2½              | 63.5        | 0.131        | 3.33     |
| 2¾              | 69.85       | 0.131        | 3.33     |
| 3               | 76.2        | 0.148        | 3.76     |
| 31/4            | 82.55       | 0.148        | 3.76     |
| 3½              | 88.9        | 0.162        | 4.11     |
| 4               | 101.6       | 0.192        | 4.87     |

FINISH: Brite, Hot Dip Galvanised, Electro Galvanised, Stainless Steel

SHANK TYPE: Smooth
POINT TYPE: Diamond




## **COLLATED SCREWS**



| Sizes (Inches) | Sizes (mm) |
|----------------|------------|
| 6 x 1          | 152.4*25.4 |
| 6 x 5/8        | 152.4*15.9 |
| 7 x 2          | 178*50.8   |
| 8 × 2 1/2      | 203.2*63.5 |

COLOURS: Black / Grey
SHANK TYPE: Coarse Thread
POINT TYPE: Diamond

#### **HEAT TREATED STEEL NAIL / CONCRETE NAIL**



| Sizes       |  |
|-------------|--|
| 2.5 x 25 MM |  |
| 3 x 40 MM   |  |
| 3 x 50 MM   |  |
| 3 x 60 MM   |  |

FINISH: Chemical Blackened, Phosphate coated, Electro plated

HEAD TYPE: Full Round
SHANK TYPE: Smooth
POINT TYPE: Diamond

#### **HAND DRIVEN JOIST HANGER**



| Length (Inches) | Length (mm) | Dia (Inches) | Dia (mm) |
|-----------------|-------------|--------------|----------|
| 1%              | 31.75       | 0.12         | 3.05     |
| 1½              | 38.1        | 0.135        | 3.43     |
| 2½              | 63.5        | 0.131        | 3.33     |
|                 |             | 0.148        | 3.76     |
|                 |             | 0.162        | 4.11     |

FINISH: Brite, Hot Dip Galvanised, Electro Galvanised

HEAD TYPE: Full Round SHANK TYPE: Smooth POINT TYPE: Diamond





FINISH: Black Annealed GAUGE: 16, 16.5

TYPE: Square hole 3.5 LBS

QUANTITY: 20 rolls / Carton



FINISH: Black Annealed DIAMETER: 16 & 17

QUANTITY: 1000/ per roll, 5000 / per roll





FINISH: Brite& HDG

DIAMETER: ½ inches, 5/8 inches

QUANTITY: 50 pieces/ Box



Types: Round, Slotted
Finish: Brite, HDG
Sizes: 3x3, 2x2, 2.5x2.5
Quantity: 50 pieces/ Box



## **₩** Cı

### **Custom Packing**

Astrotech can design and provide various packaging options as per our customer's requirement like 1 Lb, 5 Lbs, 30 Lbs, 50 Lbs, And DIY Packs etc.



## **New Product Development**

We have a strong in house R &D team that continuously work on product/process improvement and also new product development.



#### **Our team**

Our management team have professionals with 30 Years of experience in nail industry and the 70% of our employees have rich experience in nail manufacturing.



### **Private Labelling**

We do private labelling as per customer's specification. The packaging and labels can be tailored to meet their specifications including product name, description, company's logo and contact information.



#### **Real Time Order Tracking**

We do provide ERP /Internet based online tracking facility for our customers to track the status of Purchase orders.



#### **Mixed Skills**

We can ship small quantity of different SKU's consists of different kind of products like Plastic collated, Wire collated, Paper collated, Bulk Nails and concrete Nails within the same container.



#### **Customer Centric**

"Customer delight" is the core value system of our company and we strive to keep enhancing the same continuously. This value is demonstrated by all our employees at their functional level. We work closely with every customer to create the required specialty fasteners for their specific requirement.



### **TESTING LAB**

The entire operation is governed by stringent quality systems to ensure consistency in quality with continuous process improvement. We inculcate a culture of Total Quality Management, thereby empowering every employee to be constantly vigilant in maintaining the quality levels. All our key employees have many years of experience in the related industry.












## **CERTIFICATIONS**





Andhra Pradesh. India 517588 "Dedal - Attestation and Certification" Ltd., as an European Third Party Authority.

verifies that on the basis of the results of the review of the Factory Production Control Documentation and Initial Type Testing of the product; **Dowel fasteners** - nalls with tested characteristics acc. to Test report No. 3020-CPR-05042439 from 15.01.2016. corresponds to the requirements of the following standard:

#### EN 14592:2008+A1:2012

The manufacturer can proceed with the CE marking with the obligation to issue a Declaration of Performance

All modifications to the Technical File should be submitted to the Third Party Inspection Authority to ensure further validity of this attestation

This certificate was first issued on 27.04.2016 and remains valid as long as the test methods and/or factory production control requirements included in the standard do not change and the product, and the manufacturing conditions in the plant are not modified significantly. This certificate should be reissued not later than 27.04.2017. The validity of this certificate can be verified in the register on www.dedai-bg.net.







arch. Galina Vasileve

certificate of registration GCAS certifies that the Quality Management System of **ASTROTECH STEELS PRIVATE LIMITED** Office: Ghatala Towers, find Floor, 19 Avenue Road, Nungambakkam, Chennai - 600 034, India Factory: 1335 Cannon Road, Sector 36, Sri City SEZ, Satyavedu Mandal, Chittoor Dist., Andhra Pradesh - 517 588, India has been assessed by GCAS and found to be in confurmance with ISO 9001:2015 The scope of registration applies to the Manufacturing and Distribution of Speciality Collated and Bulk Nails of Various Steel Types EAC: 17 MACE: DJ 28-51, DJ 28-73 IMPITMEZZ Current Approval: June 15, 2017 Date of First Approval: July 10, 2014 First Certificate on 10.07.14 with other Al



ICC-ES Evaluation Reports are not to be construed as representing aesthetics or any other attributes not specifically addressed, nor are they to be construed as an endorsement of the subject of the report or a recommendation for its use. There is no warranty by ICC Evaluation Service, LLC, express or implied, as to any finding or other matter in this report, or as to any product covered by the report

Copyright ® 2016 ICC Evaluation Service, LLC. All rights reserved.








## **CERTIFICATIONS**







#### QUALITY HEALTH SAFETY AND ENVIRONMENTAL POLICY

Astrotech Steels Private Limited is committed to practicing Quality, Health, Safety and Environmental management system in all its core processes, activities, products & services in day-to-day operations.

Astrotech Steels Private Limited will plan Quality, Health, Safety and Environmental management strategies and initiate actions towards customer satisfaction, prevention of injury, ill Health & Environmental pollution.

Astrotech Steels Private Limited strives towards achieving Quality, Health, Safety and Environmental objectives by continual improvement, Waste Management, Resource Conservation and minimizing Health & Safety Hazards.

Astrotech Steels Private Limited is committed to comply with all applicable Legal and Other requirements related to Quality, Health, Safety and Environment.

Date: 02.01.2017

Chairman and Managing Director







## **RESEARCH & DEVELOPMENT**

Our right choice of Plant machinery enables us to manufacture a wide range of products with consistent quality and at competitive costs.

Our in house R & D team is always active in working in close coordination with customers to successfully develop new products and also meet the constantly evolving packaging requirements. This helps us to continuously re invent ourselves and stay ahead of the competition.



#### **EHS POLICY**

- Astrotech targets to ensure ZERO ACCIDENT with emphasis on the safety of human beings.
- To have a systematic approach to HSE management, designed to ensure compliance with the local laws & to achieve continuous performance improvement.
- To set standards & targets for improvement and follow it up with continuous monitoring and reporting performance.
- To encourage the contractors/sub contractors to strictly adhere to the laid down HSE policies and ensure there are no deviations.

#### **ACCOMPLISHMENTS**

- Conducting Fire Drill on regular basis
- Nil Accident Rate
- Effective use of electrical safety
- Anti Smoking campaign has been successfully accomplished
- Employees undergoes industrial safety training periodically
- Special PPE provided for wire drawing & tool room operators
- New Joiners meticulously undergoes safety induction training.





## **Astrotech Steels Private Limited**

#### **CORPORATE OFFICE:**

Ghatala Towers, 2<sup>nd</sup> Floor, 19 Avenue Road, Nungambakkam, Chennai - 600034, Tamil Nadu, India. Phone No.: +91-44-43009061

#### **PLANT:**

1335 Cannon Road, Sector 36, Sri City SEZ, Satyavedu Mandal, Chittoor District - 517588, Andhra Pradesh, India. Phone No.: +91-8576-309100